



The highest quality Roll-down
and Energy Saving products

Geric Holdings Led Lighting

LED Bulb Lights High quality die-cast aluminium series

This Power Led Bulb Light series utilizes 6063 high quality die-cast aluminium shell material and a high-end frosted PVC cover. The built-in light source is high brightness long life Epistar Chips reaching up to 110 lumens per watt. Replacement for E27 sockets light bulbs.

The Internal drivers are high-quality stable constant current IC drivers with 50,000 hours life span.



Geric Holdings Led Lighting

3W LED Bulb Light – die-cast



Parameters :

Model No.	3-BL-WH-F-4521 (White)	3-BL-WW-F-4523 (Warm White)	3-BL-NW-F-4522 (Natural White)
Color temperature	6000±500K	3000±200K	4000±250K
Luminous Flux	320 LM	295LM	310 LM
Input voltage	AC100-240V,50/60Hz		
Power Factor (PF)	>0.95		
Total power	3W		
CRI (Color Rendering Index)	>80		
Size	Ø51x100mm		
Lifespan	30,000 hours		
Warranty	3 years		



Geric Holdings Led Lighting

5W LED Bulb Light – die-cast



Parameters :

Model No.	5-BL-WH-F-4524 (White)	5-BL-WW-F-4526 (Warm White)	5-BL-NW-F-4525 (Natural White)
Color temperature	6000±500K	3000±200K	4000±250K
Luminous Flux	520 LM	495LM	510 LM
Input voltage	AC100-240V,50/60Hz		
Power Factor (PF)	>0.95		
Total power	5W		
CRI (Color Rendering Index)	>80		
Size	Φ59x114mm		
Lifespan	30,000 hours		
Warranty	3years		



Geric Holdings Led Lighting

7W LED Bulb Light – die-cast



Parameters :

Model No.	7-BL-WH-F-4527 (White)	7-BL-WW-F-4529 (Warm White)	7-BL-NW-F-4528 (Natural White)
Color temperature	6000±500K	3000±200K	4000±250K
Luminous Flux	720 LM	695LM	710 LM
Input voltage	AC100-240V,50/60Hz		
Power Factor (PF)	>0.95		
Total power	7W		
CRI (Color Rendering Index)	>80		
Size	Ø60x140mm		
Lifespan	30,000 hours		
Warranty	3 years		



Geric Holdings Led Lighting

9W LED Bulb Light – die-cast



Parameters :

Model No.	9-BL-WH-F-4530 (White)	9-BL-WW-F-4532 (Warm White)	9-BL-NW-F-4531 (Natural White)
Color temperature	6000±500K	3000±200K	4000±250K
Luminous Flux	920 LM	895LM	910 LM
Input voltage	AC100-240V,50/60Hz		
Power Factor (PF)	>0.95		
Total power	9W		
CRI (Color Rendering Index)	>80		
Size	Ø96x145mm		
Lifespan	30,000 hours		
Warranty	3 years		

Geric Holdings Led Lighting

12W LED Bulb Light – die-cast



Parameters :

Model No.	12-BL-WH-F-4533 (White)	12-BL-WW-F-4535 (Warm White)	12-BL-NW-F-4534 (Natural White)
Color temperature	6000±500K	3000±200K	4000±250K
Luminous Flux	1220 LM	1195LM	1210 LM
Input voltage	AC100-240V,50/60Hz		
Power Factor (PF)	>0.95		
Total power	12W		
CRI (Color Rendering Index)	>80		
Size	Φ96x167mm		
Lifespan	30,000 hours		
Warranty	3years		

Geric Holdings Led Lighting

15W LED Bulb Light – die-cast



Parameters :

Model No.	15-BL-WH-F-4536 (White)	15-BL-WW-F-4538 (Warm White)	15-BL-NW-F-4537 (Natural White)
Color temperature	6000±500K	3000±200K	4000±250K
Luminous Flux	1608LM	1446LM	1527LM
Input voltage	AC100-240V,50/60Hz		
Power Factor (PF)	>0.95		
Total power	15W		
CRI (Color Rendering Index)	>80		
Size	∅ 96*h189mm		
Lifespan	30,000 hours		
Warranty	3years		

18W LED Bulb Light – die-cast



Parameters :

Model No.	18-BL-WH-F-4539 (White)	18-BL-WW-F-4541 (Warm White)	18-BL-NW-F-4540 (Natural White)
Color temperature	6000±500K	3000±200K	4000±250K
Luminous Flux	1930 LM	1735LM	1832LM
Input voltage	AC100-240V,50/60Hz		
Power Factor (PF)	>0.95		
Total power	18W		
CRI (Color Rendering Index)	>80		
Size	∅ 96*h198mm		
Lifespan	30,000 hours		
Warranty	3years		